

# **AGRIVITE AQUA BTA-6**

#### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

**1.1. Product identifier**Name of the product:Agrivite Aqua BTA-6

**1.2. Relevant identified uses of the substance or mixture and uses advised against** Animal feed.

### 1.3. Details of the supplier of the safety data sheet

Corporate name	Agrivite
Address	Whittington Way, S41 9AG
Tel	01246 264 646
E-mail	sales@agrivite.com

1.4. Emergency telephone number 999

#### **SECTION 2 : HAZARDS IDENTIFICATION**

#### 2.1. Classification of the substance or mixture

Classification of the substance in accordance with Regulation (EC) No 1272/2008 Hazard: H315; Causes skin irritation. H318; Causes serious eye damage.

2.2. Label elements

Hazard pictograms: Signal word: DANGER



Hazard:	H315; Causes skin irritation.
	H318; Causes serious eye damage.
Precautionary statements:	P261; Avoid breathing dust/fume/gas/mist/vapours/spray
	P271; Use only outdoors or in a well-ventilated area
	P280; Wear protective gloves/protective clothing/eye protection/face protection
	P305+P351+P338; IF IN EYES: Rinse continuously with water for several minutes. Remove contact
	lenses if present and easy to do – continue rinsing
	P312; Call a POISON CENTER or doctor/physician if you feel unwell
	P304+P340; IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for
	breathing
2.3. Other hazards	

No data is available.



## 3.1 Substance

Name:
CAS number:
Einecs number:
Molecular weight:
Dangerous components:
Further information:

3.2 Mixture

The product contains no substances which at their given concentration are considered to be hazardous to health according directive 2001/58/EG.

1. 20-40% Formic Acid, CAS Nr.; 64-18-6, EC Nr.; 200-579-1. Flam. Liq. 3, Acute Tox. 3 (inhalation – vapor), Acute
Tox. 4 (Ingestion). Skin Corro./Irrit. 1A, ye Dam./Irri. 1, H226, H331, H302, H314, EUH071

- 2. 10-30% AmmoniumFormate, CAS Nr.; 540-69-2, Skin Corr. 2, H315, Eye dam. H318
- 3. 5-20% Propionic Acid, CAS Nr.; 79-09-4, EC Nr.; 201-176-3. Skin Corr., 1B, H314. Flam. Liq. 3, H226
- 4. 5-10% AmmoniumPropionate, CAS Nr.; 17496-08-1, Skin Corr. 2, H315, Eye dam. H318
- 5. 5-20% Monobutyrin, CAS nr.; 557-25-5, EC Nr.; 209-165-5, Skin Corr. 2, H315, Eye dam. H318

## **SECTION 4 : FIRST AID MEASURES**

In general terms, In case of doubt or if symptoms persist, always consult a doctor. Never give anything by mouth to someone who is unconscious.

## 4.1. Description of first aid measures

General information:	In case of persisting adverse effects, consult a physician. Remove contaminated clothing and shoes
	immediately and launder before reusing.
After inhalation:	Exposure by inhalation may cause respiratory irritation. Remove the casualty to fresh air. If inhaled, remove
	to fresh air. Obtain medical attention if symptoms occur.
After ingestion:	If swallowed, rinse mouth with and give person plenty of water to drink. Do not induce vomiting. Obtain
	medical attention if symptoms occur. Never give anything by mouth to an unconscious person.
After skin contact:	In case of contact with the skin wash off with plenty of water and soap.
After eye contact:	Separate eyelids and rinse immediately with water for 15 minutes. Open eyelids forcibly. Obtain medical
	attention immediately.

## 4.2. Most important symptoms and effects, both acute and delayed

Potential acute health effects	· · · · · · · · · · · · · · · · · · ·
Inhalation:	May give off gas, vapor or dust that is very irritating to the respiratory system.
Ingestion:	May cause irritation to mouth, throat and stomach.
Skin contact:	May cause skin irritation.
Eye contact :	Causes serious eye damage.
Over-exposure signs/symptoms:	Adverse symptoms may include pain, watering and redness.

## 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically

#### **SECTION 5 : FIRE FIGHTING MEASURES**

<b>5.1 Extinguishing media</b>	Use foam, carbon dioxide or dry chemical powder.
Suitable extinguishing media:	Water spray jet allowed.
Unsuitable extinguishing media:	Full water jet.
<b>5.2 Special hazards arising from</b> Specific hazards:	<b>the substance or mixture</b> In case of fire, may produce hazardous decomposition products such as carbon monoxide, carbon dioxide.
<b>5.3 Advice for firefighters</b>	Wear suitable protective clothing. Self-contained breathing apparatus.
Special protective clothing:	Vacuum or sweep up material and place in a designated, labelled waste container. Clean up affected area
Environmental precautions:	with a large amount of water.



## 6.1 Personal precautions, protective equipment and emergency procedures

For non-emergency personnel: No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilt material. Do not breathe vapour or mist. Provide adequate ventilation. Wear appropriate respirator when ventilation is inadequate. Put on appropriate personal protective equipment. High risk of slipping due to leakage/spillage of product.

For emergency responders : If specialized clothing is required to deal with the spillage (PPE), take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".

#### **6.2 Environmental Precautions**

Environmental precautions: Try to avoid that the material gets into sewers or open waters.

#### 6.3 Methods and materials for containment and cleaning up

Cleaning measures: Pick up with absorbent material (e.g.; sand, silica, acid binder, universal binder, sawdust)

#### 6.4 Reference to other sections

See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

#### SECTION 7 : HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Handling:

Use with adequate ventilation. Local exhaust ventilation should be provided. Avoid creating dusty conditions and prevent wind dispersal. Avoid contact with the eyes, skin and clothing. Take care for a safety shower and an evewash installation.

General protective/ hygiene measures: Advise on protection against	Do not eat, drink or smoke during work time. Wash hands before breaks and after work.
fire/explosions:	Keep away from sources of heat and ignition.

#### 7.2 Conditions for safe storage, including any incompatibilities

Storage conditions: Store in original packaging. Store dry and cool in a well ventilated room. Keep away from heat, the sun and sources of ignition. Avoiding materials: Strong oxidizing agents.

## 7.3 Specific end use(s)

Recommendations : N.A. Industrial sector specific solutions: N.A.

#### **SECTION 8 : EXPOSURE CONTROLS/PERSONAL PROTECTION**

#### 8.1. Control parameters

No parameters available for monitoring. 8.2 Exposure controls Exposure limit values: Not available. Hygiene measures: When using do not eat, drink or smoke. Wash hands after handling compounds and before eating, smoking and using the lavatory at the end of the day. Personal protective equipment: Wear suitable gloves (PVC or rubber, EN 374). Protective gloves shall be replaced immediately when physically damaged or worn. Design operations thus to avoid permanent use of protective gloves. Appropriate Material; Butyl rubber or nitrile rubber. Safety glasses with side shields (EN 166) or a full face shield where splashing is possible. Maintain eye wash Eye/face protection: fountain and quick-drench facilities in work area. Production scale and respiratory system: If the exposure limit is exceeded and engineering controls are not feasible, a full face piece respirator with organic vapor cartridge may be worn up to 50 times the exposure limit or the maximum use concentration specified by the appropriate regulatory agency or respirator supplier, whichever is lowest. For emergencies or instances where the exposure levels are not known, use a full-facepiece positive-pressure, air-supplied respirator. WARNING: Air purifying respirators do not protect workers in oxygen-deficient atmospheres. Other Normal chemical working clothes. Do not breathe fog, steam, aerosol. Respiratory protection:



Appearance:	Liquid
Colour:	Blue
Odour:	Characteristic
Solubility in water:	Completely
Bulk Density:	1.10-1.25 g/cm3 (20 C)
Melting point:	N.A.
Flash point:	> 100 °C
Ignition temperature:	> 200 °C
Auto-ignition temperature:	> 200 °C
pH:	2.5 – 4.5 (10% in water)
Flammability:	The product is non flammable
Boiling temperature:	> 100 °C
Viscosity:	0 – 20 cPs (20°C)

## 9.2. Other information

No data is available.

#### SECTION 10: STABILITY AND REACTIVITY

#### 10.1. Reactivity

No data available

## 10.2 Chemical stability

Stability: Stable under recommended storage and handling

#### 10.3 Possibility of hazardous

No data available Reactions

**10.4 Conditions to avoid** Avoiding measures: Heat, protect from the sun.

#### 10.5 Incompatible materials

Materials: Oxidizing agents, alkalies.

#### 10.6 Hazardous decomposition products

Hazardous decomposition products:Carbon monoxide, carbon dioxide.Remark:In case of fire: see section 5.

#### **SECTION 11 : TOXICOLOGICAL INFORMATION**

## 11.1. Information on toxicological effects

Acute toxicity:

Effects for the skin:

Effect for the eyes:

Effects if inhaled:

Carcinogenicity:

Oral; > 500mg/kg (Rat, method OECD 401) Dermal; > 500mg/kg (Rabbit, method OECD 434) Inhalational; > 0.105 mg/l for 4 hours (Rat) Corrosive (Rabbit, method OECD 404) Corrosive (Rabbit, OECD 434) May cause respiratory irritation and burns. No carcinogenic suspected agent.

## **SECTION 12 : ECOLOGICAL INFORMATION**

Fish toxicity:

LC50/Lepomis macrochirus: N.A.



50/Daphnia Magr
50/Pseudokirchne
10/Pseudomonas

50/Daphnia Magna: N.A. 50/Pseudokirchneriella subcapitata : N.A. 10/Pseudomonas putida: N.A.

## 12.2 Persistence and degradability

Environmental effects:

Readily biodegradable.

## 12.3 Bioaccumulative potential

Bio concentration:

This product shows a low bioaccumulation potential.

**12.4 Mobility in soil** Mobility Water-soluble liquid Do not allow to enter groundwater, surface water or drains, even in small quantities.

#### 12.5 Results of PBT and vPvB assessment

PBT :The product is not considered to be a PBT.vPvB :The product is not considered to be a vPvB.

#### 12.6 Other adverse effects

No known significant effects or critical hazards.

#### 12.7 Other Information

Do not discharge product unmonitored into the environment.

#### **SECTION 13 : DISPOSAL CONSIDERATIONS**

Product: Packaging: Waste must be disposed of in accordance with national and local environmental regulations. Packaging that cannot be cleaned should be disposed off as product waste.

### **SECTION 14 : TRANSPORT INFORMATION**

## This product is not classified as ADR.

14.1 Transport ADR/RID/AND
Class
Packaging group
Hazard identification no.
UN number
Technical name
Tunnel restriction code
Label

#### 14.2 Transport IMDG

Class	-
Packaging group	-
UN number	-
Technical name	-
EmS	-
Label	-

## 14.3 Transport ICAO-TI / IATA

Class	-
Packaging group	-
UN number	-
Technical name	-
Label	-

## 14.4 Other information

No data available



## 14.5 Environmental hazards

See section 14.1-14.3 if relevant

## 14.6 Special precautions for user

No data available

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not relevant

## **SECTION 15 : REGULATORY INFORMATION**

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture:

REGULATION (EC) NO 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing a European Chemicals Agency

Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labeling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006

The European Agreement concerning the International Carriage of Dangerous Goods by Road (ADR)

Regulations concerning the International Carriage of Dangerous Goods by Rail (RID) constituting Appendix C to the Convention concerning International Carriage by Rail (COTIF)

International Maritime Dangerous Goods Code (IMDG CODE)

International Air Transport Association - Dangerous Goods Regulation (IATA DGR)

Directive of the European Parliament and of the Council of 20 December 1994 on packaging and packaging waste (94/62/EC)

Ordinance of the Minister of Labour and Social Policy of 29 November 2002 concerning maximum permissible concentrations and intensities of agents harmful to health in a work environment (Journal of Laws No 217 item 1833) with subsequent amendments.

Directive of the European Parliament and of the Council of 19 December 2008 on waste and repealing certain Directives (2008/98/EC) Ordinance

## Annex XIV - List of substances subject to authorisation

Substances of very high concern:None of the components are listed.Annex XVII - RestrictionsNot applicable.on the manufacture,Not applicable.placing on the market anduse of certain dangeroussubstances, mixtures andarticles:Other EU regulations: All components are listed or exempted.

#### 15.2 Chemical Safety Assessment:

No data available

## **SECTION 16 : OTHER INFORMATION**

The information contained in the Material Safety Data Sheet is based on our data available on the date of publication. The information is intended to aid the user in controlling the handling risks; it is not to be construed as a warranty or specification of the product quality. The information may not be or may not altogether be applicable to combinations of the product with other substances or to particular applications.

The user is responsible for ensuring that appropriate precautions are taken and for satisfying themselves that the data are suitable and sufficient for the product's intended purpose. In case of any unclarity we advise consulting the supplier or an expert.